



#### Distributed in Canada by 49Bespoke Inc.

137 Buttermill Avenue, Concord, Ontario, L4K 3X5 Tel: 866.827.4548 Fax: 877.731.7745 49@49bespoke.com www.49bespoke.com

		ECTDIC S	DANCE	2022
JKDFK	FORM EL	ECIKIC	2 RANGE -	2022

Distributor:	Country:
User name:	Dealer:
City:	Phone/E-Mail:
My order number:	Order date:

#### **PARA MODELS**

## **BATEC ELECTRIC 2** \$8,725



Graphite B25.11.001





# **QUAD MODELS**

## **BATEC QUAD ELECTRIC 2** \$9,525



Graphite B25.12.001





## **HEMI MODELS**

# **BATEC HEMI ELECTRIC 2**

## \$9,200



Graphite Hemi Right B25.53.001

Graphite STD Hemi Left B25.54.001




All Batecs include charger and Batec Docking Bar.





NOTE: We would like to point out that the versions of the device which drive faster than 6 kph are only permitted in road trafic in certain countries and otherwise may only be used on private land. In the absence of approval, in accordance with the road trafic laws, the versions which drive faster than 6 kph version may not be driven on public roads or even cycle ways. It is your responsibility to find out the information about which legal regulations apply in your particular country and about the insurance or driving licence obligations for versions which drive faster than 6 km/h.





## **OPTIONS - BATEC 4 ALL**

#### HANDLEBAR PARA\*



Twist throttle left hand B27.01.005	\$102
Thumb throttle left hand B27.01.004	\$102
Double brake lever right hand B27.01.008	\$171

Double brake lever left hand
B27.01.009

4 Buttons pad right hand
B27.01.010

4 Buttons pad left hand \$206

#### HANDLEBAR QUAD



For customisation of the tetra handlebars, please contact us.

#### HANDLEBAR HEMI



Twist throttle right hand B27.04.001

Twist throttle left hand B27.04.002

\$102 \$102

### .....

#### BATEC FOR TALL Not compatible with quad models.

\$171

\$206



\$515



# BATTERY

36 V-280 Wh (7.8 Ah) lithium battery (Acc. I ATA regulationsQ) | B26.01.006

\$1000

36 V-576 Wh (14.5 Ah) lithium battery | B26.01.011 \$1,512




# **OPTIONS – OTHERS**





<sup>\*</sup> BATEC handlebars are supplied as standard with right-hand throttle and two brake levers.





#### **ACCESORIES**





**BATEC BOSSA** 











#### WHEELCHAIR WHEELS







B54.04.03

All BATEC RODES are supplied as a standard with aluminium handrims. Ask us for vinyl handrims under request.

# BATEC WHEELS BAG for 24" and 25" wheels \$176



to store axles





BRAC	KETS		BRAKE	ES	
	D1 PV3 - Flat V shape brackets for fixed frame	B53.01.10 \$230	*	D3 NR - Standard Brakes push-to-lock mounted on Batec clamps	B53.03.10 \$187
	D1 CNC - Machined brackets for folding frame	B53.01.11 \$389	9	D3 NTA - Aluminium Scissor Brakes mounted on Batec clamps	B53.03.11 \$193
5	D1 PS3 - PANTHERA BRACKETS for Short frame	B53.01.50 \$442	2	D3 NT - Composite Scissor Brakes mounted on Batec clamps	B53.03.12 \$406
5	D1 PL3 - PANTHERA BRACKETS for Long frame	B53.01.51 \$442			
STAN	DARD CLAMPS				
1	D2 N19 - Round tube wheelchair clamps Ø19mm	B53.02.40 \$176	6	D2 NC - CYCLONE XLR oval tube wheelchair clamps	B53.02.50 \$176
1	D2 N22 - Round tube wheelchair clamps Ø22mm	B53.02.41 \$176	4	D2 NB - OTTOBOCK BLIZZARD oval tube wheelchair clamps	B53.02.51 \$176
<b>(</b>	D2 N25 - Round tube wheelchair clamps Ø25mm	B53.02.42 \$176		D2 NPR - TNS PROVAL oval tube wheelchair clamps	B53.02.52 \$176
Ó	D2 N28.8 - Round tube wheelchair clamps Ø28.8mm	B53.02.43 \$176	4	D2 N19-22 - PANTHERA- Round tube wheelchair clamps Ø19mm / Ø 20mm	B53.02.54 \$176
•	D2 N30 - Round tube wheelchair clamps Ø30mm	B53.02.44 \$176		D2 AVANG – Clamps for OTTOBOCK Avantgarde round tube wheelchairs	B53.02.55 \$186
•	D2 N31.6 - Round tube wheelchair clamps Ø31.6mm	B53.02.45 \$176		D2 MN30 – Clamps for MEYRA Nano Ø 30 mm round tube wheelchairs	B53.02.56 \$193
•	D2 N35 - Round tube wheelchair clamps Ø35mm	B53.02.46 \$176		D2 MP25 – Clamps for MEYRA Ø 25mm folding round tube wheelchairs	B53.02.57 \$193
1	D2 NH - QUICKIE oval tube wheelchair clamps (for HELIUM & XENON)	B53.02.47 \$176	40	D2 KRIP – OVAL TUBE CLAMPS (QUICKIE KRIPTON)	B53.02.59 \$193
1	D2 NJ - PROGEO JOKER oval tube wheelchair clamp:	B53.02.48 \$176	6	D2 DUKE – Oval tube clamps (PROGEO DUKE/NOIR 2.0)	B53.02.60 \$193
	D2 NT - PROGEO TEKNA / NOIR oval tube wheelchair clamps	B53.02.49 \$176	0	D2 DUKE – Oval tube clamps (PROGEO DUKE/NOIR 2.0)	B53.02.61 \$274
SPECI	AL CLAMPS SETS		ADAPTORS	s	
We will	D6 ADV - KUSCHALL ADVANCE CLAMPS SET (clamps + adaptor)	B53.06.01 \$442	b	D5 PRO - Adaptors for Pro Activ wheelchairs	B53.05.03 \$229
۳	D6 EGO - PROGEO EGO CLAMPS SET (clamps + adaptor)	B53.06.02 \$442		Adaptors for fixed frame w/ tapered seat	B53.05.04 \$160
	D6 ICO - ICON CLAMPS SET (clamps + adaptor)	B53.06.03 \$442	<u>\</u>	D5 PU - Adaptor for saving a seat bar for fixed frame	B53.05.06 \$193
11	D6 CS1 - CSEI CLAMPS SET (clamps + adaptor)	B53.06.04 \$442		D5 BA - Adaptor for moving the clamps for folding frame	B53.05.07 \$301
11	D6 CS2 - CSEI EVO CLAMPS SET (clamps + adaptor)	B53.06.05 \$442	4	D5 ES - Set of spacers for fixed or folding frame wheelchairs or D5 50	B53.05.08 \$82
•				D5 RE - Adaptor for moving the rear clamp backwards for fixed frame	B53.05.05 \$160
				D5 REC – Curve adaptor for moving the rear clamp backwards	B53.05.09 \$176
			1	D5 RE2 – Adaptor for moving backwards both clam	ps B53.05.11 \$230
			a	D5 FK – Brake adapt short folding wheelch	B53.05.10 \$171






DETAILS OF WHEELCHAIR THE BATEC WILL BE INSTALLED ON			
Brand			
Model			
Seat width	CM (exterior distance from tube to seat tube)		

Please refer to the Batec Compatibility Chart to ensure your wheelchair model is compatible, and to check the maximum and minimum measurements allowed

## **USER DETAILS**

User name		
User height		cm
User weight		kg () Maximum accepted weight 110 kg
1	Knee height	<b>CM</b> (distance from floor – upper edge of knee)
2	Shoulder height	<b>cm</b> (distance from floor – upper edge of shoulder)
3	Length of arms	CM (distance from centre of shoulder – centre of the palm with arm fully extended)
4	Total length	CM (distance from back – tips of toes, with feet as far back as possible for the user)
5	Position of feet	cm (distance from end of seat – end of feet)
6	Width of abdomen	<b>cm</b> (distance from back – abdominal area)



# COMMENTS