

ORDER FORM

NEOX Tilt-In-Space

**CANADIAN MSRP
PRICE ONLY**



SEND

2024-07-31

NEOX™



Date:	P.O.#:
Client Last Name:	Client First Name:
Ordered by:	
Establishment:	
Address:	
Phone:	Fax:
Email address:	

Order confirmation by email	Yes ☐	No ☐
Subscribe to Physipro newsletter	Yes ☐	No ☐

	Price Specification	...	Code to be completed by the customer service agent
	Technical Specification		

MODEL											
	6 WHEELS: Rear casters tilt mechanism are strongly recommended										
	USER WEIGHT: The weight of the user is required. Some restrictions may apply.										
PRODUCT	DESCRIPTION	CODE	PRICE	CHOICE							
Tilt-in-Space	4 Wheels - 45°	NX1	\$3100	☐							
	6 Wheels - 45° 	NX2	\$3900	☐							
Dynamic Tilt	4 Wheels - 30°	CSF4	\$3800	☐							
	6 Wheels - 30°	CSF6	\$4290	☐							
User Weight 	Less than 165 lb ☐	220 lb - 264 lb ☐	-	N/C	←						
	165 lb - 210 lb ☐	264 lb - 308 lb ☐									
	210 lb - 254 lb ☐	308 lb - 350 lb ☐									
MAIN OPTIONS											
	HEAVY DUTY: Includes a 1000 N cylinders kit, reinforced footrests, extensions for wheels locks and steel anti-tip. Increase max weight capacity to 350 lb - Maximum tilt limited at 22°										
	POWER TILT: Not available with seat width of 14" (4 Wheels and 6 Wheels Neox) and 13" seat-to-floor height (6 Wheels Neox). Weight capacity 265 lb.										
Heavy Duty 	Standard Neox	NXHD	\$1035	☐							
	Dynamic Tilt Neox	CSFHD		☐							
Power Tilt 		NXPWT	\$1700	☐							
FRAME COLOR											
Frame Color	Glossy Black ☐	Black Matte ☐	Charcoal ☐	-	N/C	←					
	White ☐	Silver ☐	Secure Blue ☐								
	Scarlet Red ☐	Sunset Orange ☐	Candy Purple ☐								
SEAT STRUCTURE											
WIDTH											
	19" & 20": Extended Frame is recommended for 19" and 20" seat width.										
	NO CHARGE: Heavy duty frame is no charge if the Heavy Duty Option is chosen										
Standard Frame - Max 250 lb	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	NX...	N/C	←			
	19" ☐ 	20" ☐ 					\$225	←			
Extended Frame - Max 250 lb	19" ☐	20" ☐	21" ☐	22" ☐		NX...EW	\$225	←			
Heavy Duty Frame - Max 350 lb	19" ☐	20" ☐	21" ☐	22" ☐	23" ☐	24" ☐	25" ☐	26" ☐	NX...HD	N/C 	←

ORDER FORM

NEOX Tilt-In-Space

**CANADIAN MSRP
PRICE ONLY**



2024-07-31

DEPTH									
	EXTENDED FRAME: Recommended for 19" seat depth.								
	NO CHARGE: Extended frame is no charge if the Heavy Duty Option is chosen								
PRODUCT	DESCRIPTION						CODE	PRICE	CHOICE
Standard Frame	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☒ 		N/C	←
Extended Frame	19" ☐	20" ☐	21" ☐	22" ☐			NX...ED	\$225 	←
							NX...EWD		
OVERALL WIDTH									
	EXTENSION PLATE: Available with Dynamic Tilt Option only. Can limit the tilt. See the user manual for more details								
Extension Plate 	Reduce the overall width by 2"						NXEXP	\$46	☐

STANDARD NEOX OVERALL WIDTH	
Seath width + 9 3/4" (Spoke Wheel)	
Seath width + 11" (Mag Wheel)	

DYNAMIC TILT NEOX OVERALL WIDTH	
No Extension Plate	Reduce Option
Seath width + 11" (Spoke Wheel)	Seath width + 9" (Spoke Wheel)
Seath width + 12" (Mag Wheel)	Seath width + 10" (Mag Wheel)

SEAT PLATES				
Seat Plates	Rigid seat pan - Aluminium 	NX5	N/C	☐

NEOX - SEAT-TO-FLOOR HEIGHT

4 WHEELS NEOX			
WHEELS	CASTERS	SEAT-TO-FLOOR HEIGHT	DYNAMIC TILT OPTION
12"	S5"	13" to 18"	13" to 17"
	S6"	13" to 18"	13" to 17"
	S8"	15" to 20"	15" to 19"
20"	S5"	13" to 18"	13" to 17"
	D5"	13" to 18"	13" to 17"
	S6"	13" to 18"	13" to 17"
	S6"	14" to 19"	14" to 18"
22"	D6"	14" to 19"	14" to 18"
	S6"	14" to 19"	14" to 18"
	S8"	15" to 20"	15" to 19"
24"	D6"	15" to 20"	15" to 19"
	S8"	15" to 20"	15" to 19"

6 WHEELS NEOX			
WHEELS	CASTERS	SEAT-TO-FLOOR HEIGHT	DYNAMIC TILT OPTION
20"	D5"	14" to 18"	13" to 18"
22"	D6"	14" to 19"	14" to 18"
24"	D6"	15" to 20"	15" to 19"

DEFINITION	
S6"	Standard Fork
D5"-D6"	Dynamic Fork

SEAT-TO-FLOOR HEIGHT											
Seat-to-Floor Height	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐	20" ☐	-	N/C	←
CASTERS WHEELS - 4 WHEELS NEOX ONLY											
Polyurethane	5" x 1" ☐	5" x 1 ½" ☐	6" x 1" ☐	6" x 1 ½" ☐	8" x 1" ☐	8" x 1 ½" ☐	WHUN...		N/C	←	
	8" X 2" ☐						WHUN...		\$180 Pair		
Pneumatic	6" x 1 ¼" ☐		8" x 1 ¼" ☐					WHPG...		N/C	←
Dynamic Fork								NXDYNFR		\$192 Pair	☐
REAR CASTERS TILT MECHANISM - 6 WHEELS NEOX ONLY											
Rear Casters Tilt Mechanism	Dynamic Fork							NXTR		\$445	☐

ORDER FORM

NEOX Tilt-In-Space

**CANADIAN MSRP
PRICE ONLY**



2024-07-31

REAR WHEELS - 4 WHEELS NEOX ONLY								
PRODUCT	DESCRIPTION				CODE	PRICE	CHOICE	
TIRES								
	TIRES: Available with mag wheel rims only.							
Tires 	Urethane				WHU...	N/C	☐	
	Pneumatic				WHPG...	N/C	☐	
SIZES								
Sizes	12"				...1200	N/C	☐	
PROPULSION WHEELS - 4 WHEELS AND 6 WHEELS NEOX								
SIZES								
	4 WHEELS NEOX: Available with mag wheel rims only.							
Sizes	20" ☐	22" ☐	24" ☐				←	
RIMS								
Rims 	Mag Wheel				NX52MA	N/C	☐	
	Spoke Wheel				NX52SW	N/C	☐	
TIRES								
Tires	Polyurethane				NX53UR	N/C	☐	
	Standard Pressure				NX53SP	N/C	☐	
HANDRIMS								
Handrims	Aluminium				NX44	N/C	☐	
	Plastic Coated				NX45	\$130 Pair	☐	
	Natural-Fit, Standard Grip (Aluminium handrim)				NXFIT22	\$320 Pair	☐	
					NXFIT24			
	Omit					N/C	☐	
AXLES								
Axles	Threaded Axles				NX47	N/C	☐	
	Quick Release Axles				NX48	N/C	☐	
WHEEL LOCKS								
	ATTENDANT WHEEL LOCK: Only available with 12" rear wheel for the 4 Wheels Neox, and with 20", 22" or 24" for the 6 Wheels Neox.							
Wheel Locks	Push to lock				NX29	N/C	☐	
	Pull to lock				NX55	N/C	☐	
	Attendant Wheel Lock (Foot Operated Brake) 				NX32	\$485	☐	
Extension	Standard Wheel Lock Extension - 6"				NX30	N/C	☐	
	Telescopic Wheel Lock Extension - 6"				NX31	\$60 Pair	☐	
ANTI-TIP								
	ANTI-TIP: Available in steel with the Heavy Duty Option. Not available with the 6 wheels configuration.							
Anti-Tip 	In aluminium				NX40A	N/C	☐	
					NX40B			
BACK POSTS								
TYPE AND HEIGHT								
	DYNAMIC BACKREST: Not compatible with the reclining backrest							
Standard Canes	16" ☐	17" ☐	18" ☐	19" ☐	20" ☐	NXH1620	N/C	←
	21" ☐	22" ☐	23" ☐	24" ☐	25" ☐	NXH2125	\$95 Pair	
Back Type	Dynamic Backrest 				NXDYNA		\$575	☐
	Reclining Gas Spring Backrest (85° to 130°)				NXREC		\$1100	☐

ORDER FORM

NEOX Tilt-In-Space

**CANADIAN MSRP
PRICE ONLY**



2024-07-31

BACK ANGLE				
PRODUCT	DESCRIPTION	CODE	PRICE	CHOICE
Back Angle	85° ☐ 90° ☐ 95° ☐ 100° ☐ 105° ☐ 110° ☐ 115° ☐	-	N/C	←
STROLLER BAR				
Stroller Bar	Angle adjustable stroller bar	NX9	N/C	☐
ARMRESTS				
STANDARD NEOX				
	"U" TYPE: Flipback, removable, adjustable in height.			
	"U" TYPE ARMREST: Not available with the reclining gas spring backrest.			
"U" Type / Flip Back 	Lowered - Adjustable from 6" to 8"	NX11	\$150 Pair	☐
	Standard - Adjustable from 8" to 13"	NX10	N/C	☐
	Elevated - Adjustable from more than 13"	NXM13P	\$150 Pair	☐
	Foam Pad - Desk length (2 1/4" x 10")	NX13	N/C	☐
	Foam Pad - Full length (2 1/4" x 14")	NX12	N/C	☐
	3" Armpad Extension	NX14	\$124 Pair	☐
	"T" TYPE: Removable, adjustable in height by increment of 1/2"			
"T" Type 	Lowered : Adjustable from 6 1/2" to 10"	08-TH1-...	\$150 Pair	☐
	Standard : Adjustable from 7 1/2" to 12"	08-TH2-...	N/C	☐
	Elevated : Adjustable from 9 1/2" to 14"	08-TH3-...	\$150 Pair	☐
	Foam Pad - Desk length (2 1/4" x 10")	...-FS	N/C	☐
	Foam Pad - Full length (2 1/4" x 14")	...-FL	N/C	☐
	Waterfall Style Pad with Gel - Desk length (2 3/4" x 9")	...-GS	\$200 Pair	☐
	Waterfall Style Pad with Gel - Full length (2 3/4" x 13 1/2")	...-GL	\$200 Pair	☐
DYNAMIC TILT NEOX				
	"T" TYPE: Removable, adjustable in height by increment of 1/2"			
"T" Type 	Lowered : Adjustable from 8" to 11 1/2"	08-TH1-...	\$150 Pair	☐
	Standard : Adjustable from 9" to 12 1/2"	08-TH2-...	N/C	☐
	Elevated : Adjustable from 11" to 14 1/2"	08-TH3-...	\$150 Pair	☐
	Foam Pad - Desk length (2 1/4" x 10")	...-FS	N/C	☐
	Foam Pad - Full length (2 1/4" x 14")	...-FL	N/C	☐
	Waterfall Style Pad with Gel - Desk length (2 3/4" x 9")	...-GS	\$200 Pair	☐
	Waterfall Style Pad with Gel - Full length (2 3/4" x 13 1/2")	...-GL	\$200 Pair	☐
FOOTREST				
Angle	60°	NX60	N/C	☐
	70°	NX70	N/C	☐
	90°	NX90	\$149 Pair	☐
Length Modification	Less than 14" ☐ More than 19" ☐	NX17	\$79 Pair	←
	Desired length: _____ " (± 1/4")			
ELEVATING AND ARTICULATING LEGRESTS				
Elevating and Articulating Legrests	Adjustable in height from 14" to 16"	NX15	\$545 Pair	☐
	Adjustable in height from 17" to 19"	NX16	\$545 Pair	☐
Length Modification	Less than 14" ☐ More than 19" ☐	NX17	\$79 Pair	←
	Desired length: _____ " (± 1/4")			

ORDER FORM

NEOX Tilt-In-Space

**CANADIAN MSRP
PRICE ONLY**



2024-07-31

CALF SUPPORTS										
CALF SUPPORT: Included when ordering elevating legrest										
PRODUCT	DESCRIPTION						CODE	PRICE	CHOICE	
Calf Supports	Standard Padded, format 6" x 8" 						NX18	\$155 ea.	☐	
	Standard Padded with gel, format 6" x 8"						NX19	\$225 ea.	☐	
	Profiled Padded, format 6" x 8" 						NX20	\$165 ea.	☐	
	Profiled Padded with gel, format 6" x 8"						NX21	\$235 ea.	☐	
CALF STRAPS										
Calf Straps	Calf Strap Single Padding - 4" height						NX22-...	\$90 ea.	☐	
	Calf Strap Single Padding with gel - 4" height						NX23-...	\$138 ea.	☐	
	Calf Strap Double Padding - 8" height						NX24-...	\$115 ea.	☐	
	Calf Strap Double Padding with gel - 8" height						NX25-...	\$153 ea.	☐	
FOOTPLATES										
Flip-Up Footplates	Composite, standard size 6" X 6 3/4"						NX26	N/C	☐	
	Aluminium, standard size 6" X 8"						NX39	N/C	☐	
	Aluminium, standard size 7" X 8"						NX58	N/C	☐	
Angle and Depth Adjustable Footplates	Aluminium, standard size 6" X 6 3/4"						NX27	\$180 Pair	☐	
Oversized - Angle and Depth Adjustable	Footplate Sizes		Seat Width					NX...X...	\$195 Pair	←
		14"	15"	16"	17"	18"	19" +			
	5" x 9"	☐	☐	☐	☐	☐	☐			
	6" x 9"		☐	☐	☐	☐	☐			
	6" x 10"		☐	☐	☐	☐	☐			
	7" x 9"		N/A	☐	☐	☐	☐			
	7" x 10"	☐		☐	☐	☐				
	8" x 9"	☐		☐	☐	☐				
	8" x 10"	☐	☐	☐	☐	☐				
One Piece Footplate - Angle and Depth Adjustable	6" depth						FW06-...	\$350	☐	
	8" depth						FW08-...		☐	
	10" depth						FW10-...		☐	
Heel Support Strap	Adjustable in length						NX28	N/C	☐	
POSITIONING STRAP										
Positioning Strap	Auto style Positionning strap, 2"						NX41	\$35	☐	
TRANSIT OPTION										
Tie-Down	Four distinct tie-down securement locations						NX42	\$95	☐	
CANE HOLDER										
Cane Holder	Single						NX50S	\$75	☐	
	Double						NX51D	\$85	☐	
OXYGEN TANK HOLDER										
Oxygen Tank Holder	Not compatible with the stroller bar						NX43	\$180	☐	
SPOKE-GUARDS										
Spoke-Guards	Transparent spoke-guards						NX46	\$165 Pair	☐	
	Physipro Spoke-Guards (special design) Please visit: https://www.physipro.com/product-category/spoke-guard/ Desired model #: _____							\$346 Pair	☐	

ORDER FORM

NEOX Tilt-In-Space

**CANADIAN MSRP
PRICE ONLY**



2024-07-31

SEAT CUSHIONS					
STANDARD CUSHIONS: The dimension of the cushion will be adapted to the size of the wheelchair. For custom cushion, please fill in the order form.					
PRODUCT	DESCRIPTION		CODE	PRICE	CHOICE
Siliko Cushion  (SE0001614/SE0001615)	Thickness of 3"		-	See OF	☐
Contour Insert Cushion  (SE0001610/SE0001611)	Thickness of 3"		-	See OF	☐
Physiair Cushion  (SE0001612/SE0001613)	Thickness of 3"		-	See OF	☐
BACKRESTS					
NON-STANDARD BACKRESTS: For non-standard dimensions, fill out the order form.					
Rigid Backrest			NX8	\$150	☐
Cinch 	Width:	16" ☐ 18" ☐ 20" ☐	CINCH...	\$888	☐
	Height:	18" ☐ 20" ☐			☐
HP2 Profiled  (SE0001071)	Width:	16" ☐ 18" ☐ 20" ☐	HPP...	\$822	☐
	Height:	18" ☐ 20" ☐			☐
HP2 Contour  (SE0001071)	Width:	16" ☐ 18" ☐ 20" ☐	HPC...	\$822	☐
	Height:	18" ☐ 20" ☐			☐
Premium (SE0001072)	Please, fill out the order form.		-	\$410	☐
Premium Velcro (SE0001072)	Please, fill out the order form.		-	\$480	☐
Omit			-	N/C	☐
TENSION BAR					
Tension Bar	Multiadjustable Headrest support mounting fixture		NXHSUP	\$94	☐
	Deep Tension Bar (2" deeper)		NX57...	N/C	☐
HEADREST SUPPORTS & PAD					
Headrest Support (SE0001787)	Symbio Headrest Support with Small (7" x 4") Standard Pad		NX33-KS	\$665	☐
	Symbio Headrest Support with Medium (8" x 5") Standard Pad		NX33-KM		☐
	Symbio Headrest Support with Large (9" x 6") Standard Pad		NX33-KL		☐
 Symbio Headrest  Standard Pads					

YOU DIDN'T FIND WHAT YOU WANT ON THIS ORDER FORM?

Describe your need below. Our customers service will evaluate your request and give you a detailed quote.

NOTES:

SPECIFICATION CHARTS

Standard 6 wheels NEOX

STANDARD 6 WHEELS NEOX - DETERMINE THE TILT ANGLE

STEP 1: Define the frame format according to the seat depth

		FRAME	
		SMALL	LARGE
SEATH DEPTH	14"	Small	NA
	15"		
	16"		
	17"		
	18"		
	19"	NA	Large
	20"		
	21"		
	22"		


STEP 2: Define the position of the tilt system according to the seat-to-floor height and the wheels diameter

		WHEELS				
		20"		22"	24"	
SEAT-TO-FLOOR HEIGHT	13"	6	NA	NA	NA	POSITION OF THE TILT SYSTEM
	14"	NA	6	6		
	15"		5	5	6	
	16"		4	4	5	
	17"		3	3	4	
	18"		2	2	3	
	19"		1	1	2	
	20"	NA	NA	1		
		D5"	D6"			
		CASTERS				

The diagram illustrates the mechanical components of the tilt system. It features a blue structural arm with several adjustment points. Numbered callouts 1 through 6 identify specific parts: 1 points to a pin at the base of the arm; 2 points to a roller or bushing; 3 points to a vertical adjustment screw; 4 points to a horizontal adjustment screw; 5 points to a top pivot point; and 6 points to a locking pin or bolt at the very top of the assembly.

 **NOTE :** D5"/D6" = "D" means the use of a dynamic fork.

STEP 3: Define the tilt angle according to the frame format (STEP 1), the position of the tilt system (STEP 2) and the type of armrest

		FRAME				ARMREST
		SMALL		LARGE		
		T	U / Flip Back	T	U / Flip Back	
	POSITION OF THE TILT SYSTEM	6	30°	26°	26°	23°
		5	36°	32°	32°	29°
		4	43°	39°	39°	35°
		3	45°	45°	45°	40°
		2	45°	45°	45°	45°
		1	45°	45°	45°	45°
		TILT ANGLE (+/- 1°)				

NOTE : The power tilt, the foot operated brakes, the dynamic backrest and the oxygen tank holder can influence the results.

SPECIFICATION CHARTS

Standard 4 wheels NEOX

CANADIAN MSRP
PRICE ONLY

2024-07-31


STANDARD 4 WHEELS NEOX - DETERMINE THE TILT ANGLE

STEP 1: Define the frame format according to the seat depth.

		FRAME	
		SMALL	LARGE
SEATH DEPTH	14"	Small	NA
	15"		
	16"		
	17"		
	18"		
	19"	NA	Large
	20"		
	21"		
	22"		

STEP 2: Define the position of the tilt system according to the seat-to-floor height and the wheels diameter


		WHEELS												
		12"			20"				22"			24"		
SEAT-TO-FLOOR HEIGHT	13"	6	6		6	6	6							POSITION OF THE TILT SYSTEM
	14"	5	5		5		5	6	6	6	6			
	15"	4	4	6	4		4	5	5	5	5	6	6	
	16"	3	3	5	3		3	4	4	4	4	5	5	
	17"	2	2	4	2		2	3	3	3	3	4	4	
	18"	1	1	3	1		1	2	2	2	2	3	3	
	19"			2				1	1	1	1	2	2	
	20"			1								1	1	
		5"	6"	8"	5"	D5"	6" 	6"	D6"	6"	D6"	8"	D6"	8"
		CASTERS												



 NOTE: 6" = This caster is arranged in a low configuration.

 NOTE: D6" = "D" means the use of a dynamic fork.

STEP 3: Define the tilt angle according to the frame format (STEP 1), the position of the tilt system (STEP 2) and the type of armrest

		FRAME				ARMREST
		SMALL		LARGE		
		T	U / Flip Back	T	U / Flip Back	
	POSITION OF THE TILT SYSTEM	6	21°		20°	
		5	26°		26°	
		4	32°		30°	
		3	38°		36°	
		2	45°		43°	
		1	45°		45°	
TILT ANGLE (+/- 1°)						

STEP 4: To guarantee a minimum stability of 10° in the least stable configuration, validate the maximum tilt angle according to the angle of the backrest and the weight of the user


BACKREST ANGLE	75 KG (165 LB)	115 KG (250 LB)	160 KG (350 LB)
	MAX TILT ANGLE	MAX TILT ANGLE	MAX TILT ANGLE
90°	46°	46°	22°
95°	46°	46°	22°
100°	46°	45°	22°
105°	46°	43°	22°
110°	46°	40°	22°
115°	46°	40°	22°

SPECIFICATION CHARTS

Dynamic Tilt NEOX

DYNAMIC TILT CONFIGURATION

LIMITATION OF THE TILT ANGLE ACCORDING TO THE CYLINDER POSITION AND THE USER WEIGHT (APPLICABLE FOR "T" ARMSETS)

USER WEIGHT		CYLINDER POSITION	MAXIMUM TILT ANGLE	CYLINDER POSITION 
STANDARD	HEAVY DUTY			
Less than 165 lb	220 lb - 264 lb	Position 1	30° (26° for 14" and 15" seat-to-floor height)	
165 lb - 210 lb	264 lb - 308 lb	Position 2	26°	
210 lb - 254 lb 	308 lb - 350 lb	Position 3	22°	

 **NOTE:** Cylinder position 2 can be used for an occupant of 210 lb at 254 lb if the tilt angle of 22 degree is insufficient. The force required to lift the occupant will be slightly higher.

ADDITIONAL LIMITATIONS OF TILT ANGLE ACCORDING TO THE POSITION OF THE TILT SYSTEM (APPLICABLE FOR "U"/FLIP BACK ARMSETS)

SEAT-TO-FLOOR HEIGHT	MAXIMUM TILT ANGLE
13"	10°
14"	12,5°
15"	16°
16"	21°
17"	25°
18"	25°
19"	30°

 **NOTE:** Note that this limitation does not include a possible interference with the armpad. Due to interferences that limit the tilt angle, the use of "U" / Flip Back armrests is not recommended for the Dynamic Tilt model with low seat-to-floor height (14" to 16").