

BATEC AIR PACKING PROCEDURE

OBJECTIVE

Pack the Batecs Air handbike correctly.

SCOPE


This document has an impact on production and warehouse personnel.

PROCEDURE


Follow all the steps below to pack the Batec Air handbike.

1 - PREPARING THE BASE PACKAGING OF A BATEC AIR


1.1 - Take the wooden base and a block of polystyrene. The block has an adhesive side.



1.2 - Place the polystyrene block somewhat crooked with the narrow adhesive part facing down and the other wide adhesive part facing outwards.



1.3 - Adjust the fixation bar until it stops as directed by the arrow.




1.4 - Place the Batec on top of the wooden base with the base of the fixation resting on the polystyrene block.

Attach the fastening ties as shown in the pictures.



1.5 - Attach both sides of the bracket with a zip tie as well.



1.6 - Attach the chair bar with a zip tie.



1.7 - Protect the console with bubble wrap.



2 – CHARGER & ACCESSORIES

2.1 – Verify that Allen tools, instruction manual, warranty card and charger are included inside the charger bag.



Place the charger bag on the left side of the Batec and secure it with a plastic zip tie.



4 – PACKAGING

4.1 - Place the Batec inside the box and put 4 cardboard columns.



5 – CLOSE, SEAL AND LABEL

5.1 – Stick the CE label and seal.



Made by

<p>Marc Cortada Operations Manager (20/02/2025)</p>